

Location	Screen Top Depth (ft)	Screen Bottom Depth (ft)	COC	Sample	Collection Date	Collection Time	Fld Prep	Fld Matrix	Lab Matrix	Fld QC Type	Lab QC Type	Method	CAS	Analyte	Detect Flag	Result	Units	Lab Qual	Val Qual	Val Reason	Lab	1-s YPU	MDA	MDL	PQL	DF	Sample Usage	FSRR	Best Select Flag	Northing	Easting	Web Date
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	2051-60-7	PCB-1	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132426	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	33146-45-1	PCB-10	N	0.0000239	ug/L	U	U	U_LAB	CFA			0.00000893	0.000024	1	COMP	12132434	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	60145-21-3	PCB-103	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132515	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	56558-16-8	PCB-104	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132511	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	32598-14-4	PCB-105	Y	0.0000288	ug/L		NQ	NQ	CFA			0.00000893	0.000021	1	COMP	12132489	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	70424-69-0	PCB-106	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132526	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	70424-68-9	PCB-107	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132525	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	PCB-108/124	PCB-108/PCB-124	N	0.0000416	ug/L	U	U	U_LAB	CFA			0.0000139	0.000042	1	COMP	12132537	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	PCB-110/115	PCB-110/PCB-115	Y	0.0000983	ug/L		NQ	NQ	CFA			0.0000139	0.000042	1	COMP	12132538	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	39635-32-0	PCB-111	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132498	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	74472-36-9	PCB-112	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132530	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	74472-37-0	PCB-114	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132531	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	31508-00-6	PCB-118	Y	0.0000611	ug/L		NQ	NQ	CFA			0.00000893	0.000021	1	COMP	12132488	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	PCB-12/13	PCB-12/PCB-13	N	0.0000416	ug/L	U	U	U_LAB	CFA			0.0000139	0.000042	1	COMP	12132439	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	68194-12-7	PCB-120	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132521	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	56558-18-0	PCB-121	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132512	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	76842-07-4	PCB-122	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132536	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	65510-44-3	PCB-123	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132518	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	57465-28-8	PCB-126	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132513	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	39635-33-1	PCB-127	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132499	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	PCB-128/166	PCB-128/PCB-166	N	0.0000416	ug/L	U	U	U_LAB	CFA			0.0000139	0.000042	1	COMP	12132539	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	52663-66-8	PCB-130	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132508	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	61798-70-7	PCB-131	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132517	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	35694-04-3	PCB-133	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132492	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	52704-70-8	PCB-134	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132509	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	38411-22-2	PCB-136	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132497	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	35694-06-5	PCB-137	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132493	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	PCB-139/140	PCB-139/PCB-140	N	0.0000416	ug/L	U	U	U_LAB	CFA			0.0000139	0.000042	1	COMP	12132542	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	34883-41-5	PCB-14	N	0.0000268	ug/L	U	U	U_LAB	CFA			0.00000893	0.000027	1	COMP	12132437	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	41411-61-4	PCB-142	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132501	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	68194-15-0	PCB-143	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132523	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	68194-14-9	PCB-144	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132522	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	74472-40-5	PCB-145	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132532	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	51908-16-8	PCB-146	Y	0.0000218	ug/L		NQ	NQ	CFA			0.00000893	0.000021	1	COMP	12132504	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	PCB-147/149	PCB-147/PCB-149	Y	0.000132	ug/L		NQ	NQ	CFA			0.0000139	0.000042	1	COMP	12132543	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	74472-41-6	PCB-148	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132533	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	2050-68-2	PCB-15	N	0.0000289	ug/L	U	U	U_LAB	CFA			0.00000893	0.000029	1	COMP	12132433	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	68194-08-1	PCB-150	N	0.0000208	ug/L	U	U	U_LAB	CFA			0.00000893	0.000021	1	COMP	12132519	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001			2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA-1668A	68194-09-2	PCB																		

NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	2051-62-9	PCB-3	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132430	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	38444-77-8	PCB-32	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132446	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	37680-68-5	PCB-34	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132442	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	37680-69-6	PCB-35	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132443	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	38444-87-0	PCB-36	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132462	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	38444-90-5	PCB-37	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132464	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	53555-66-1	PCB-38	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132471	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	38444-88-1	PCB-39	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132463	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	13029-08-8	PCB-4	N	0.0000377	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000038	1	COMP	12132428	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	PCB-40/71	PCB-40/PCB-71	N	0.0000416	ug/L	U	U	U	U	LAB	CFA					0.0000139	0.000042	1	COMP	12132481	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	52663-59-9	PCB-41	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132470	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	36559-22-5	PCB-42	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132461	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	70362-46-8	PCB-43	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132472	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	PCB-45/51	PCB-45/PCB-51	N	0.0000416	ug/L	U	U	U	U	LAB	CFA					0.0000139	0.000042	1	COMP	12132483	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	41464-47-5	PCB-46	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132467	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	70362-47-9	PCB-48	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132473	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	PCB-49/69	PCB-49/PCB-69	N	0.0000416	ug/L	U	U	U	U	LAB	CFA					0.0000139	0.000042	1	COMP	12132484	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	16605-91-7	PCB-5	N	0.0000335	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000034	1	COMP	12132429	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	PCB-50/53	PCB-50/PCB-53	N	0.0000416	ug/L	U	U	U	U	LAB	CFA					0.0000139	0.000042	1	COMP	12132485	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	15968-05-5	PCB-54	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132456	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	74338-24-2	PCB-55	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132479	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	41464-43-1	PCB-56	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132466	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	70424-67-8	PCB-57	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132475	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	41464-49-7	PCB-58	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132468	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	25569-80-6	PCB-6	N	0.0000241	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000024	1	COMP	12132431	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	33025-41-1	PCB-60	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132459	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	74472-34-7	PCB-63	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132480	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	73575-53-8	PCB-67	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132477	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	73575-52-7	PCB-68	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132476	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	33284-50-3	PCB-7	N	0.0000258	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000026	1	COMP	12132435	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	41464-42-0	PCB-72	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132465	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	74338-23-1	PCB-73	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132478	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	32598-13-3	PCB-77	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132458	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	70362-49-1	PCB-78	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132474	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	41464-48-6	PCB-79	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132503	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	34883-43-7	PCB-8	N	0.0000223	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000022	1	COMP	12132438	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	33284-52-5	PCB-80	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132490	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15	10:38	UF	WOE	W	REG	RE	EPA/1668A	70362-50-4	PCB-81	N	0.0000208	ug/L	U	U	U	U	LAB	CFA					0.00000693	0.000021	1	COMP	12132524	N	1773374.91	1619888.857	11/05/15
NPDES Outfall 01A001	2015-2364	NP001-15-104289	09/22/15																															